Sarina Coastal Sustainable Landscapes Project Salonika Beach



Protecting and Rehabilitating Sarina Beaches Coastline









Supported by BHP Billiton Mitsubishi Alliance (BMA)







Table of Contents

- 1.0 Introduction
- 2.0 Scope of Works
- 3.0 Site Description
- 4.0 Rehabilitation Treatment
 - 4.1 Weed Management
 - 4.2 Natural Regeneration
 - 4.3 Revegetation
 - 4.3.1 Planting
 - 4.3.2 Planting density
 - 4.3.3 Plant nutrition
 - 4.3.4 Water schedule
- 5.0 Fencing and Beach Access
- 6.0 Signage
- 7.0 Turtle Friendly Lighting
- 8.0 Community Involvement
- 9.0 Monitoring and Maintenance
- 10.0 Exclusions



Council's Beach Team Supervisor Jack Langdon Labourers: Adam Eaton and Manuel Casado

Contact Details

Mackay Regional Council (Sarina depot) 07 49648000

Sarina Coastal Project ManagerTony Ahern0427026294Emailtonya@sarina.qld.gov.au

Sarina Landcare Catchment Management Assoc Saskia von Fahland 07 49561388 Email <u>slcma@mcs.net.au</u>

Mackay Whitsunday Natural Resource Management Group Matt Bloor 07 49577158 Email <u>matt@mwnrm.org.au</u> Web <u>www.mwnrm.com.au</u> stainable Landscapes Project

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











1.0 Introduction

Coastal management and rehabilitation works will be undertaken by council staff at Salonika Beach from July 2007 to June 2010 as part of the *Sarina Coastal Sustainable Landscapes Project.*

The works will implement, but are not limited to, priority actions identified in the *Sarina Beaches Management Guidelines for Coastal Zones* (Sarina Shire Council, 2006) with the aim to '*improve the environmental condition of the esplanades and dunes associated with each of the populated Sarina Shire beaches*'. The recommendations in the guidelines were based on monitoring the condition of the foredunes in the Sarina beaches which found that the environmental condition of most beaches requires urgent improvement. A copy of the guidelines is available at

http://www.sarina.qld.gov.au/SLCMA_COASTAL_MANAGEMENT_GUIDELINES.pdf or follow the links to the project on www.mwnrm.com.au.

Coastal management is defined as 'the protection, conservation, rehabilitation, management and ecologically sustainable development of the coastal zone' under Queensland's Coastal Protection and Management Act1995. This project will implement best management practices to address the key issues of: dune vegetation zonation and complexity; vegetative waste; beach access; weeds and non-native vegetation; erosion; wildlife and turtle nesting.

The project is delivered by Sarina Shire Council (Mackay Regional Council) in partnership with Sarina Landcare Catchment Management Association (SLCMA) & Mackay Whitsunday Natural Resource Management Group (MWNRM) with generous support of BHP Billiton Mitsubishi Alliance (BMA). More information on the project is available by following the links to the project on www.mwnrm.com.au.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











2.0 Scope of Works

The rehabilitation and enhancement plan applies to the coastal esplanade along the entire length of Salonika Beach foreshore extending from Grendon Park in the north to the inlet at the southern end (refer to figure 1).

Project activities include:

- Coastal post and rail fencing combined with replanting and weed control in degraded areas at Grendon Park to better define the vegetated foreshore.
- Fencing will be installed on the southern end of Half Tide Beach adjacent to Grendon Park to restrict motorbike access to Salonika Beach.
- Re-planting will be undertaken in the vicinity of all walkways at Salonika Beach to protect dune structure and enhance coastal vegetation buffer against storm events.
- Re-planting will be undertaken in the dunes in the southern area of the beach where previous disturbance by unauthorised motorbikes has degraded the groundlayer restricting growth of native plants. Plantings may also be placed in areas where coastal vegetation has been cleared or significantly degraded along the esplanade.
- A new walkway and fencing may be installed at the southern end of the beach in an area proposed for unit development to restrict unplanned access tracks being formed. Subject to council approvals.
- Weed control will be undertaken along the dune system to reduce the dominance of weeds, including lantana, and enhance the re-establishment of native species. This will be conducted in a staged approach to ensure the dunes are not subject to erosion risk.
- Juvenile coconuts will be removed as part of the project to reduce further issues associated with buildup of vegetative waste. Further, council may decide to remove selected mature coconuts where desired, but will not undertake broad-scale removal of mature coconuts
- Interpretive marine turtle signage will be installed at Grendon Park and another walkway at Salonika Beach to educate beach users of the threats facing nesting turtles and their hatchlings
- Review and modify street and residential lighting to protect turtle nesting areas as nesting turtles and hatchlings can be disturbed and disorientated by lights.
- Throughout the project, ongoing maintenance of the foreshore will be undertaken to minimise weed infestations and facilitate re-establishment of native vegetation.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











3.0 Site Description

The following information for Salonika Beach is from the *Sarina Beaches Management Guidelines for Coastal Zones* (2006) and from subsequent site inspections.

- Mown lawns to dune top in some areas are preventing natural regeneration to occur.
- Esplanade is impacted by a high number of weed species which suppress regeneration of native species and dominate areas to the exclusion of native species. Some areas have a lack of shrubs which further facilitates weed invasion.
- Lantana (Lantana camara) and prickly pear (Opuntia stricta) are both present at Salonika Beach and are declared weeds which are targeted for removal.
- Domestic garden waste along the foreshore of Salonika beach has introduced garden plants which can become weeds. Build up of waste reduces the ability of dunes to withstand erosion.
- Dune forest contained in the esplanade in the southern end of the beach is a naturally restricted community vulnerable to weed invasion. This area is impacted by unauthorized motorbike access which has damaged the vegetation.
- Salonika Beach is the most important marine turtle nesting beach in Sarina and one of the most important beaches in the Mackay region.
- Motorbikes on beaches disturbs wildlife and have been reported as disturbing marine turtle nesting habitat at Salonika Beach.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)









4.0 Rehabilitation Treatment

A number of broad treatments will be used within the Salonika Beach coastal esplanade (Refer to Table 1 below). Retention and restoration of native vegetation is the most important factor in maintaining dune structure and biodiversity and allows beaches the best protection against erosion under adverse conditions.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











Table 1: Restoration techniques to be used at Salonika Beach

Techniques	Comment
Natural regeneration	Encouraging the natural regeneration of native species is the best method for restoration of an area. For this to occur a viable seed bank must be present, and re-growth must include all native plant species from each stratum level. In areas where natural regeneration is to occur, mowing will be stopped and the area clearly marked for exclusion from pedestrians and public. In these areas, ongoing maintenance is required to minimise re-growth of weed species
Revegetation	Where planting, local native vegetation is required due to insufficient cover or re-growth of native species. Local native species will be sourced and replanted within an area as per density guide. Correct soil and bed preparation techniques will be carried out prior to planting and ongoing maintenance of the site will be undertaken.
Staged weed removal	Weed removal will be carried out in a staged approach. Particularly useful in removal of non-native vegetation along the dune scarp. Large woody weeds will be removed slowly to ensure the replaced native vegetation provides sufficient habitat value and protection against erosion before more removal of woody weeds.
Physical weed removal	Physical weed removal, including hand pulling, chipping or cutting weeds is effective in small infestations in environmentally sensitive areas.
Mechanical weed removal	Mowing or brush cutting will suppress weed growth, discourage seeding and spread. This method will be used particularly in areas bordering large infestations. Care will be taken to reduce potential disturbance as excessive mowing and brush cutting can facilitate further weed growth and reduce regeneration of native vegetation.
Herbicide weed removal	The application of herbicides will include foliage or basal spraying, cut/paste & stem injection where applicable. Spraying may be carried out on large or robust weed infestation, particularly to gain initial control of an infestation. However the majority of spraying will be small scale 'spot spray' applications to minimise non-target impacts Roundup Bi-active® will be the most common herbicide used due to its low toxicity to wildlife and humans.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)









3.1 Weed Management

The esplanade contains numerous environmental weeds and non-native vegetation that is preventing the natural regeneration process to occur. Weeds within the site will be removed through a staged approach, with erosion potential and site fragility being the overriding principles. The strategy is to reduce and contain weed infestations and to facilitate natural regeneration of native species.

Weed control will involve both manual (e.g. hand pulling, brush cutting) and chemical methods until the seed stock is depleted or native vegetation has established to prevent weed re-growth. To reduce the incidences of erosion in dune areas, it is important to maintain vegetative cover. To meet this objective, some treated weeds will be left on site to enhance the regeneration process. No weeds will be removed on the frontal dune scarp without direct replacement with native species.

Chemical control will primarily involve using *Roundup Bi-active* ® due to its low toxicity to wildlife and humans and rapid breakdown once applied. As native plants re-establish, the area will be checked for other environmental weeds and treated if necessary.

Weeds will be managed by the Council Beach Team for the duration of the project to ensure sites are well maintained and then by volunteers and Parks and Gardens staff under their operational works schedule.

Dumping of garden waste is an on-going concern at Salonika Beach and can introduce further environmental weeds into sensitive coastal vegetation. Council will enforce local laws prohibiting the dumping of waste and target dumping 'hotspots' to stop the practice.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











Table 2. Weed species identified from Sarina Shire Beaches			
Botanical Name	Common Name		
Trees			
Cocos nucifera	coconut palm		
Mangifera indica	mango		
Shrubs			
Euphorbia cyathophora	painted spurge		
Lantana camara	lantana – DECLARED*		
Leucaena leucocephala	leucaena		
Macroptilium atropurpureum	siratro		
Protasparagus sp.	asparagus fern		
Forbs			
Achyranthes aspera	chaff-flower		
Agave sp	уисса		
Aloe sp	Aloe		
Apocynaceae sp.	periwinkle		
Bidens pilosa	cobbler's pegs		
Bryophyllum sp	mother of millions		
Conyza sp.	fleabane		
Gazania sp.	gazania		
Gomphrena celosioides	gomphrena weed		
Mimosa pudica	sensitive plant		
Opuntia stricta	prickly pear – DECLARED*		
Sansevieria trifasciata	mother-in-law's tongue		
Stachytarpheta jamaicensis	light blue snakeweed		
Stylosanthes sp.			
Fabaceae sp. 1	thistle		
Wedelia trilobata	Singapore Daisy		
Grasses			
Cenchrus ciliaris	buffel grass		
Cynadon nlemfuensis	African stargrass		
Digitaria eriantha	couch		
Panicum maximium	guinea grass		
Panicum maximium var. triaglume			
Brachiaria mutica	para grass		
Vines			
Passiflora foetida	stinking passion flower		
Passiflora suberosa	corky passion flower		

Source: Sarina Shire Beach Management Guidelines for Coastal Zones; SLCMA Pers Comm * Declared plants under the Land Protection (Pest and Stock Route Management) Act 2002

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)









3.2 Natural Regeneration

Native vegetation plays an important role in the formation and stabilization of coastal areas with the root systems of native species more suited to stabilizing coastal areas.

Natural regeneration of *Casuarina equisetifolia* (horsetail she oak) is good at Salonika Beach providing a good seed stock for future establishment. However weeds are dominating the ground and shrub layers over much of the dunes which is limiting regeneration of other native species.

In some areas, particularly in the southern portion of the beach, dunal beach scrub is re-establishing. This is an endangered community valuable for biodiversity conservation.

Targeted weed control is aimed at facilitating the natural regeneration process.

3.3 Revegetation

All of the species selected are local indigenous coastal species, and will follow as close as practical to the natural vegetation succession inherent in this coastal zone.

3.3.1 Planting

Plant species used within this site have been identified from field studies of the native vegetation still remaining within this site and other sites within the local area and as per recommendations in the *Sarina Beaches Management Guidelines for Coastal Zones*. The plants for this site will be a mixture low growing shrubs, groundcovers and trees and will be installed as tube stock (Table 4 below).

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)









Table 4: Selected Species for Revegetation at Salonika Beach			
Species Name	Common Name	Numbers	
Clerodendrum inerme	Scrambling clerodendrum	100	
Hibiscus tiliaceus	Native Hibiscus	100	
Argusia argentea	Octopus Bush	85	
Cupaniopsis anacardioides	Tuckeroo	100	
Macaranga tanarius	Macaranga	100	
Acacia leptocarpa	Coastal wattle	100	
Mimusops elangi	Tanjong Tree	100	
Eugenia reinwardtiana	Beach cherry	15	
Chionanthus ramiflora	Native Olive	100	
Mallotus phillipensis	Red Kamala	100	
Terminalia muelleri	Muellers damson	100	
	Total	1000	

3.3.2 Planting Density

The table below will be used as a guide for planting density. Under different circumstances this may be altered to accommodate needs within the site.

Table 5: Estimated Planting Density			
Growth Form	Planting Density		
Coastal Dunes	1 tree every 4m		
	1 shrub every 2-3m		
	1 groundcover every 1-2m		

Where mortalities of planted tube stock occur, they will be replaced with similar species consistent with the planting tables.

3.3.3 Plant Nutrition

Coastal vegetation does not require a high level of nutrition so a regular fertilizer program is not recommended. Plants will receive *Terracottem®* upon planting (a physical soil conditioner enriched with fertilizers and a root growth starter compound, designed to improve the water and nutrient retention capacity, structure, aeration, quality and performance of growing media).

3.3.4 Water Schedule

Plants will receive adequate water for establishment and monitored by beach team to improve survival rate. Watering will be conducted by Beach Team for

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











duration of the project as needed and by Parks and Gardens staff in accordance with Council water restriction policy.

4.0 Fencing and Beach Access

To reduce erosion and destruction of sand dune vegetation the beaches should only be accessed at designated points by appropriately designed tracks and sand ladders

Pedestrian access will be assessed at Salonika Beach to determine if additional access walkways need to be installed.

No formalised pathways will be constructed on the landward side of the Esplanade.

5.0 Signage

Interpretive/educational signage regarding marine turtle nesting will be installed at Grendon Park and a walkway on the Esplanade (figure 2 below).



Figure 2 Turtle interpretive sign developed for the project in partnership with Mackay & District Turtle Watch Association Inc.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)











6.0 Turtle-Friendly Lighting

A monitoring survey of street & residential lighting will be undertaken to identify lighting hazardous to nesting marine turtles & hatchlings. Once identified, consultation with stakeholders will be carried out to identify and implement solutions.

7.0 Community Involvement

It is envisaged that Council will encourage residents (& community groups) at Salonika Beach to become involved with on-ground activities, whether through the development of a community rehabilitation plot, or on areas adjacent to private property.

Sarina Landcare will facilitate formation of a Coastcare volunteer group of local residents and provide support for ongoing vegetation and biodiversity management practices.

8.0 Monitoring and Maintenance

The Beach Team will monitor and maintain the area for the duration of the project with the main focus on vegetation establishment and weed suppression. This site will be maintained by Parks and Gardens Staff under their operational works schedule.

Where mortalities of planted tube stock occur, they will be replaced with similar species consistent with the planting tables.

Monitoring will be undertaken periodically using the methods outlined in the *Sarina Beaches Management Guidelines for Coastal Zones* (Sarina Shire Council, 2006) to assess the effectiveness of on-ground works in improving the condition of esplanades and dunes at the Sarina beaches.

9.0 Exclusions

Park facilities and designated open spaces are excluded from plan.

Large scale mature coconut tree removal is excluded from this plan, however council may decide to remove selected trees.

Council will not provide walkways on inland edge of esplanade to join with all access points.

Sarina Coastal Sustainable Landscapes Project – Salonika Beach Supported by BHP Billiton Mitsubishi Alliance (BMA)



