


WATER QUALITY IMPROVEMENT PLAN 2014 - 2021

19 Pioneer River Main Channel






CATCHMENT MANAGEMENT AREA REPORT

19 Pioneer River Main Channel





The Pioneer River Main Channel freshwater ecosystem received an overall score of Poor.


The headwaters of the Pioneer River Main Channel catchment originate in Crediton State Forest and Eungella National Park from where the river flows east, entering the sea at Mackay. While the headwaters are well forested, the lowland areas have been extensively cleared for intensive agriculture with 50% under cane production and 28% under grazing.

Riparian vegetation removal along the main river channel has been extensive in some reaches, while moderate quality riparian zones have been maintained in other areas. The lower Pioneer has been changed from riverine conditions to mainly weir pool environments through the construction of water infrastructure. Point source pollution from several towns and Mackay City affects the river and estuary.

Grazing and cane management practices that reduce particulate phosphorus loads are the highest priority for continued improvement of water quality. Management practices that reduce other nutrients and residual herbicides, particularly diuron, are also a priority.

All system repair actions that enhance fish habitat and passage are critical to improve the poor ecological health rating for Pioneer River. Improving riparian vegetation and connectivity, and bed and bank stability are a high priority in the modified cane production landscape. A significant commitment to manage flows in this regulated system is required to enable fish communities to gain the maximium benefits from the improvement in water quality.

Total Area by Landuse



54793 ha

Ecosystem HEALTH]

Subcatchment Freshwater Ecosystem Health Indicator Score: Current Condition 2014 and Target 2021



... Table 1: OVERVIEW

This index presents the indicators chosen to assess the condition of freshwater ecosystem health. The index uses a combination of monitored data and expert opinion to provide a score for the current condition of fish community health, event water quality, ambient water quality, flow, riparian vegetation, and barriers to migration for each of the region's 33 catchment management areas. The table also presents the target for each indicator to be reached by 2021.

Table 2 Event Freshwater Quality: Current Condition, Targets and Objectives

Key Pollutant	Current Condition	Target 2021	Objective 2050	Action	Pollutant Source							
PIONEER RIVER MAIN CHANNEL SUBCATCHMENT												
Dissolved Inorganic Nitrogen µg/L	280	280	280	LOW	CIU							
Particulate Nitrogen μg/L	592	479	340	V HIGH	CIUG							
Filterable Reactive Phosphorus µg/L	42	40	30	LOW	CIU							
Particulate Phosphorus μg/L	265	214	70	V HIGH	CIUG							
Total Suspended Sediment mg/L	180	145	145	V HIGH	CIUG							
Ametryn μg/L	0.03	0.03	0.02	HIGH	CIU							
Atrazine μg/L	0.48	0.43	0.43	HIGH	CIU							
Diuron μg/L	0.87	0.75	0.30	HIGH	CIU							
Hexazinone μg/L	0.21	0.19	0.19	HIGH	CIU							
Tebuthiuron µg/L	<lod< td=""><td><lod< td=""><td><lod< td=""><td>LOW</td><td>G</td></lod<></td></lod<></td></lod<>	<lod< td=""><td><lod< td=""><td>LOW</td><td>G</td></lod<></td></lod<>	<lod< td=""><td>LOW</td><td>G</td></lod<>	LOW	G							

C Cane **IU** Intensive Uses

G Grazing

Table 2: OVERVIEW

This table presents the current condition (2014) event freshwater quality values for nutrients, sediment, and herbicides. It also presents water quality targets for 2021 and 2050 water quality objectives that have been calculated based on an achievable level of adoption of improved management practices and the level of effort that will be required ("Action"). For each of the pollutants listed, the table also identifies the main pollutant source.

Table 3 Action Targets: Ecosystem Health Management

L = Low, M = Moderate, H = High




Table 3: OVERVIEW

This table presents the onground management actions determined to be required to improve ecosystem health, including the removal of barriers to fish migration, establishment of riparian vegetation, bank stabilisation, and in-stream habitat works. The table displays the current condition for each component, as well as the planned activities to be completed by 2021, the level of effort required and associated costs.

Tables 4 and 5: OVERVIEW

The tables below display the current level of management practices for Sugarcane/
Horticulture, Grazing, and Urban within D, C, B and A Management Framework classifications at 2014. The table also presents the level of voluntary adoption of management practices required to meet 2021 objectives and their associated costs.

Table 4 Agriculture ABCD Adoption Targets

Land Use		2014 Adoption %			2021 Adoption %				Total Cost				
		D	С	В	Α	D	С	В	Α	\$ '000s			
PIONEER RIVER MAIN CHANNEL SUBCATCHMENT													
Cane & Horticulture	Soil	17%	28%	38%	16%	5%	10%	65%	20%	2249			
	Nutrient	11%	15%	60%	13%	10%	10%	65%	15%	702			
	Herbicide	20%	21%	49%	10%	15%	20%	55%	10%	627			
Grazing	Soil	25%	28%	42%	5%	10%	15%	70%	5%	843			

Table 5 Urban Practice ABCD Adoption Targets

