




WATER QUALITY IMPROVEMENT PLAN 2014 - 2021

CATCHMENT MANAGEMENT AREA REPORT


28 Cape Creek



28 Cape Creek








The Cape Creek **freshwater ecosystem** received an overall score of **Good**.

[Total Area by Landuse



15034 ha

The Cape Creek catchment management area includes the High Ecological Value areas of Cape Palmerston National Park, Ince Bay and adjacent inshore fringing reefs. The National Park comprises more than 50% of the catchment area with extensive stretches of coastline that include rocky headlands, a range of lowland vegetation and beaches. The marine inshore water supports regionally significant seagrass beds that are critical to sustaining local dugong and turtle populations. A third of the catchment is utilised for grazing production with some small cane plantations.

Management practices that reduce atrazine and diuron loads are a priority for the Cape Creek catchment area. Grazing management practices that reduce nitrogen loads need to be addressed through improved grazing management practices to improve event water quality.

All system repair actions that support an improvement in fish communities are of the highest priority. Future management efforts are also focusing on improving coastal wetland extent and condition and activities to help support regeneration of inshore seagrass beds.





Subcatchment Freshwater Ecosystem Health Indicator Score: Current Condition 2014 and Target 2021



Table 1: OVERVIEW

This index presents the indicators chosen to assess the condition of freshwater ecosystem health. The index uses a combination of monitored data and expert opinion to provide a score for the current condition of fish community health, event water quality, ambient water quality, flow, riparian vegetation, and barriers to migration for each of the region's 33 catchment management areas. The table also presents the target for each indicator to be reached by 2021.

Table 2 Event Freshwater Quality: Current Condition, Targets and Objectives

| Key Pollutant | Current Condition | Target 2021 | Objective 2050 | Action | Pollutant Source | | | | | | | |
|-------------------------------------|---|---|---|--------|------------------|--|--|--|--|--|--|--|
| CAPE CREEK SUBCATCHMENT | | | | | | | | | | | | |
| Dissolved Inorganic Nitrogen µg/L | 48 | 48 | 48 | LOW | CIU | | | | | | | |
| Particulate Nitrogen μg/L | 152 | 152 | 152 | LOW | CIUG | | | | | | | |
| Filterable Reactive Phosphorus μg/L | 3 | 3 | 3 | LOW | CIU | | | | | | | |
| Particulate Phosphorus µg/L | 37 | 37 | 37 | LOW | CIUG | | | | | | | |
| Total Suspended Sediment mg/L | 66 | 66 | 66 | LOW | CIUG | | | | | | | |
| Ametryn μg/L | <lod< td=""><td><lod< td=""><td><lod< td=""><td>LOW</td><td>CIU</td></lod<></td></lod<></td></lod<> | <lod< td=""><td><lod< td=""><td>LOW</td><td>CIU</td></lod<></td></lod<> | <lod< td=""><td>LOW</td><td>CIU</td></lod<> | LOW | CIU | | | | | | | |
| Atrazine µg/L | 0.02 | 0.02 | 0.02 | LOW | CIU | | | | | | | |
| Diuron μg/L | 0.07 | 0.06 | 0.05 | V HIGH | CIU | | | | | | | |
| Hexazinone μg/L | <lod< td=""><td><lod< td=""><td><lod< td=""><td>LOW</td><td>CIU</td></lod<></td></lod<></td></lod<> | <lod< td=""><td><lod< td=""><td>LOW</td><td>CIU</td></lod<></td></lod<> | <lod< td=""><td>LOW</td><td>CIU</td></lod<> | LOW | CIU | | | | | | | |
| Tebuthiuron μg/L | <lod< td=""><td><lod< td=""><td><lod< td=""><td>LOW</td><td>G</td></lod<></td></lod<></td></lod<> | <lod< td=""><td><lod< td=""><td>LOW</td><td>G</td></lod<></td></lod<> | <lod< td=""><td>LOW</td><td>G</td></lod<> | LOW | G | | | | | | | |

··· Table 2: OVERVIEW

This table presents the current condition (2014) event freshwater quality values for nutrients, sediment, and herbicides. It also presents water quality targets for 2021 and 2050 water quality objectives that have been calculated based on an achievable level of adoption of improved management practices and the level of effort that will be required ("Action"). For each of the pollutants listed, the table also identifies the main pollutant source.

C Cane **IU** Intensive Uses

Action Targets: Ecosystem Health Management

L = Low, M = Moderate, H = High




Table 3: OVERVIEW

This table presents the onground management actions determined to be required to improve ecosystem health, including the removal of barriers to fish migration, establishment of riparian vegetation, bank stabilisation, and in-stream habitat works. The table displays the current condition for each component, as well as the planned activities to be completed by 2021, the level of effort required and associated costs.

Table 4: OVERVIEW

The table below displays the current level of management practices for Sugarcane/Horticulture, Grazing, and Urban within D, C, B and A Management Framework classifications at 2014. The table also presents the level of voluntary adoption of management practices required to meet 2021 objectives and their associated costs.

Table 4 Agriculture ABCD Adoption Targets

| Land Use | | 2014 Adoption % | | | 2021 Adoption % | | | | Total Cost | | |
|---|-----------|-----------------|-----|-----|-----------------|-----------|-----------------|-----|------------|----------|--|
| | | D | С | В | Α | D | С | В | Α | \$ '000s | |
| CAPE CREEK SUBCATCHMENT | | | | | | | | | | | |
| Cane & Horticulture | Soil | 35% | 45% | 15% | 5% | 30% | 45% | 20% | 5% | 0 | |
| | Nutrient | 40% | 45% | 10% | 5% | 30% | 45% | 20% | 5% | 0 | |
| | Herbicide | 40% | 45% | 10% | 5% | 35% | 40% | 20% | 5% | 0 | |
| Grazing | Soil | 25% | 40% | 30% | 5% | 20% | 40% | 35% | 5% | 67 | |
| D Dated practice C Common practice B Best practice | | | | | | A Cuttino | g-edge practice | | | | |

This Catchment Management Area (CMA) report is part of the Mackay Whitsunday Water Quality Improvement Plan (WQIP) 2014-202 Further explanation of data is provided in that document **www.reefcatchments.com/wqip**